

Light My Way





Fall prevention system



No more stumbling in the dark.

Art. no. BE8108

Falls are the leading cause of injuries among older people. Many of these accidents occur in dim light or darkness, when you are most likely to be disorientated from sleeping and unstable on your feet. **Light my way** knows when you leave the bed and lights up a safe path, so you don't trip during your night-time visits to the bathroom.

-  **Easy setup**
Doesn't rely on existing electrical wiring
-  **Completely wireless**
Bluetooth 5.0 powered with up to 50 m range
-  **Ready to use**
No configuration or programming required
-  **Complete solution**
Tailor made for the needs of the elderly

Getting out of bed

The sensor activates when you leave the bed and turns on the lights in all rooms along the path.



Moving around

The light bulbs slowly raise the light and adapt the brightness so you are not dazzled as you move.

Back to sleep

When you return to bed, you can turn off all the lights with a single flick of the master switch.



Technical specifications



Bed exit sensor

Dimensions and weight

Height	170 mm, 6.7"
Width	170 mm, 6.7"
Depth	14 mm, 0.5"
Weight	154 g, 5.4 oz. (incl. batteries)



Power and battery

- Battery power: 3 x 3V Panasonic CR3450
- Power consumption:
Active < 6mA
Idle position < 60µA
- Operating time: Up to 3 years

Common data

Frequency and coverage

- Bluetooth Mesh technology
- Frequency: 2402 – 2480 MHz
- Coverage: Up to 40 m, 44 yd.
Coverage can be reduced by thick walls

Regulatory fulfilments

- Complies with the following requirements:
CE, RoHS, WEEE, Der Grüne Punkt



Light switches

Dimensions and weight

Height	84 mm, 3.3"
Width	84 mm, 3.3"
Depth	18 mm, 0.7"
Weight	60 g, 2.1 oz. (incl. batteries)



Power and battery

- Battery power: 1 x 3V Panasonic CR3450
- Power consumption:
Active < 6mA
Idle position < 20µA
- Operating time: Up to 3 years
- Low battery indicator with full system supervision

Environmental requirements

- For indoor use only
- Temperature: 15° – 35° C, 59° – 95° F
- Relative humidity: 5% – 95% non-condensing

Maintenance and cleaning

- **BE2500**
IP 55 classed. Rinse in water.
- **Light bulbs and switches**
Clean with a dry or slightly damp cloth.

Light bulbs

Dimensions and weight

Height	102 mm, 4.0"
Width	58 mm, 2.3"
Depth	58 mm, 2.3"
Weight	72 g, 2.5 oz. (incl. batteries)



Specifications

- Type: E27 7W LED 80RA
- Input voltage: 100 – 240 VAC 50/60Hz
- Power consumption:
Active < 38mA, Idle position < 8mA
- Lumen output: 600 lm (~60W)
- Colour temperature: 2700K (warm white)
- Lifetime: 30.000 hours

In the box, BE8108

- | | |
|---|---|
| ■ Sensor
BE2500 Bed exit | ■ Adapters
BE9278 E14 to E27
BE9279 B22 to E27 |
| ■ Light bulbs
BE2510 Bedroom
BE2511 Hallway
BE2520 Bathroom | ■ Frames and covers
2 x BE9270 Spacer frame
2 x BE9271 Switch cover
2 x BE9272 Switch frame |
| ■ Light switches
BE2530 Bedroom
BE2540 Bathroom | ■ Batteries
Pre-mounted |